Certificate Number Report Reference Date	UL-US-L45168-21-13700991-1 E45168-19900731 23-Apr-2021
Issued to:	GEMS SENSORS INC 1 COWLES RD PLAINVILLE, CT United States 06062-1107
This is to certify that representative samples of	NKPZ2 - Motor Controllers, Float- and Pressure-operated - Component See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.
Standard(s) for Safety:	UL 508, 18th Ed., Issue Date: 2018-03-30
Additional Information:	See the LIL Online Certifications Directory at

See the UL Online Certifications Directory at <u>https://iq.ulprospector.com</u> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bamely

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date

UL-US-L45168-21-13700991-1 E45168-19900731 23-Apr-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RFA, may or may not be followed by 2500P, 2500B or 2500S, may or may not be followed by additional suffixes.	Flow operated switches
RFO, may or may not be followed by 2500P, 2500B or 2500S, may or may not be followed by additional suffixes.	Flow operated switches
RFS, may or may not be followed by 2500P, 2500B, 2500S, may or may not be followed by an alpha-numeric suffix, may or may not be followed by 12 V dc, 24 V dc, or 110 V ac, may or may not be followed by additional suffixes.	Flow operated switches

Bampleg



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date UL-CA-L45168-41-13700991-1 E45168-19900731 23-Apr-2021

Issued to: GEMS SENSORS INC 1 COWLES RD PLAINVILLE, CT United States 06062-1107

This is to certify that representative samples of NKPZ8 - Motor Controllers, Float- and Pressure-operated Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01
Additional Information:	See the UL Online Certifications Directory at <a href="https://iq.ulprospector.com">https://iq.ulprospector.com</a> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Certificate Number Report Reference Date

UL-CA-L45168-41-13700991-1 E45168-19900731 23-Apr-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RFA, may or may not be followed by 2500P, 2500B or 2500S, may or may not be followed by additional suffixes.	Flow operated switches
RFO, may or may not be followed by 2500P, 2500B or 2500S, may or may not be followed by additional suffixes.	Flow operated switches
RFS, may or may not be followed by 2500P, 2500B, 2500S, may or may not be followed by an alpha-numeric suffix, may or may not be followed by 12 V dc, 24 V dc, or 110 V ac, may or may not be followed by additional suffixes.	Flow operated switches

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC