

Ready-to-Ship Flow Switch & Continuous Flow Sensor Solutions for Your Applications

Avoid the hassle of long delays, canceled orders, halted projects, and downed equipment with Gems' readily shippable flow products



Flow Switches

MODEL	DESCRIPTION	FLOW SETPOINT RANGE (FIXED GPM)
FS-380	Compact, Piston-Type, High Inline Pressures	0.15 - 2.00
FS380-P	Industrial Strength, Inline, Piston-Type, Plastic	0.07 - 2.00
FS-480	Stainless Steel, Piston-Type, Large Flow, Low Pressure Drop	0.50 - 3.00
FS-200*	General Purpose, Shuttle-Type, Straight-Through Flow Path	0.50 - 50.00
RFS*	RotorFlow® Paddle Wheel-Type with Visual Indication	0.10 - 60.00

*Adjustable Versions Available

Continuous Flow Sensors

MODEL	DESCRIPTION	FLOW RANGE (GPM)
FT-210*	Turbine Insert, Low Flow Rate, High Accuracy	0.026 - 0.65
FT-100	Turbine Insert, Low Flow Rate, Custom-Mounted	0.20 - 2.00
RFA	RotorFlow® Paddle Wheel-Type, 0-10 VDC Analog Output	0.10 - 60.00
RFO**	RotorFlow® Paddle Wheel-Type, 4.5-24 VDC Pulsed Output	0.10 - 60.00
RFI**	RotorFlow® Paddle Wheel-Type, Visual Flow Indicator Only	0.10 - 60.00

*Insert Only **FDA Compliant Potable Versions Available

LEVEL | FLOW | PRESSURE | TEMPERATURE | SOLENOID VALVES | FLUIDIC SYSTEMS

